3-In-1 Spray

CONCENTRATE

For Organic Gardening

Prevents and Controls Black Spot on Roses Anthracnose, Rust and Powdery Mildew

Kills Insects and Their Eggs

ACTIVE INGREDIENT:

Clarified Hydrophobic Extract of Neem Oil ... 70.0% Other ingredients

Composition covered by US Patents 5,298,251; 5,356,629; 5,372,817; 5,405,612; and 5,409,708.

KEEP OUT OF REACH OF CHILDREN **CAUTION** See back panel for Additional Precautions NET 16 FLUID 0Z. (946 ml)

RM 10026

UllraSlo! Fruit Tree 3-In-1 Spray

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if absorbed through skin. Causes moderate eye irritation. Avoid contact with skin, eyes, or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco. Remove and wash contaminated clothing before reuse.

FIRST AID

If on skin or clothing: Take off contaminated clothing. Rinse skin

immediately with plenty of water for 15-20 minutes.

If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.
Call a poison control center or doctor for treatment advice.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. For Information on this pesticide product (including health concerns, medical emergencies, or pesticide incidents), call the National Pesticide Information Center at 1-800-858-7378.

ENVIRONMENTAL HAZARDS

Do not apply directly to water. Do not contaminate water when disposing of equipment washwaters or rinsate.

This product is toxic to bees exposed to direct treatment. Do not apply this product while bees are actively visiting the treatment area.

PHYSICAL AND CHEMICAL HAZARDS

Do not use or store near heat or open flame.

Distributed by: Value Garden Supply P.O. Box 585 St. Joseph, MO 64502-0585 (952) 884-6477 RM 10027

PEEL HERE TO OPEN

UltraSto! Fruit Tree 3-In-1 Spray

IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN A MANNER INCONSISTENT WITH ITS LABELING.

GENERAL INFORMATION

- Do not add adjuvants (spreaders, stickers, extenders, etc.) to Fruit Tree 3-in-1 Spray.
- Stops powdery mildew in 24-hours.
- Shake well before using.
- Use spray solutions within several hours of preparation for maximum effectiveness. Do not store diluted solution for later use.
- Do not apply to wilted or otherwise stressed plants, or to newly transplanted materials prior to root establishment.
- Do not apply to known sensative plant species, such as impatiens flowers, fuchsia flowers, hibiscus flowers, some rose flowers. ornamental olive trees, or some carnation varieties without prior testing.
- As with other oil-based products, exercise care in timing applications to early morning/late evening to minimize the potential for leaf burn.

MIXING INSTRUCTIONS

Mix Fruit Tree 3-In-1 Spray at the rate of 2 tablespoons (1 fluid ounce) per gallon of water. Thoroughly mix solution and spray all plant surfaces (including _______

undersides of leaves) until completely wet Frequently mix solution as you spray.



For use on FRUITS, NUTS, VEGETABLES, HERBS SPICES, ROSES, HOUSEPLANTS, FLOWERS TREES, and SHRUBS.

EPA Reg. No. 70051-2-192 EPA Est. No. 44616-MO-1 Distributed by: Value Garden Supply P.O. Box 585, St. Joseph, MO 64502-0585 (952) 884-6477

APPLICATION INSTRUCTIONS

Fruit Tree 3-In-1 Spray is an effective fungicide for the prevention and control of various fungal diseases including powdery mildew, black spot, downy mildew, anthracnose, rust, leaf spot, botrytis, needle rust, scab and downy mindow, animanose, tost, read spot, both spice let use, sead and flower, twig, tip blight, and alternaria. As a preventative, applyFruit Tree 3-in-1 Spray on a 7 to 14 day schedule until the potential for disease development is no longer present. To control disease already present, apply Fruit Tree 3-in-1 Spray on a 7 day schedule until disease pressure is eliminated. Then continue spraying on a 14 day schedule to prevent the disease from recoccurring. To prevent rust leaf spot diseases, anthracnose and scab, begin applications at the first sign of spring budding. To prevent powdery mildew, apply in mid-summer or when disease is first detected. Continue applications until disease pressure no longer exists.

NSECTICIDE/MITICIDE USE

For use on FRUITS, NUTS, VEGETABLES, HERBS, SPICES, ROSES, HOUSEPLANTS, FLOWERS, TREES, AND SHRUBS

<u>APPLICATION INSTRUCTIONS</u>

Apply Fruit Tree 3-In-1 Spray at first sign of insects/mites. For control of aphids, spider mites, scale, whiteflies, beetles, leafrollers, and other insect pests. This product is most effective when applied every 7 to 14 days. For heavy insect populations, spray on a 7 day schedule.

STORAGE AND DISPOSA

Do not contaminate water, food, or feed by storage and disposal.

Pesticide Storage: Keep in original container. Store in a dry place away from direct sunlight, feed or foodstuffs. Keep container tightly sealed when not in use. Do not store below 40°F (4°C). **Pesticide and Container Disposal: If Empty:** Do not reuse this container. Place in trash or offer for recycling if available. If Partly Filled: Call your local solid waste agency or 1-800-CLEANUP for disposal instructions. Never place unused product down any indoor or outdoor drain.

LIMITED WARRANTY AND DISCLAIMER

Buyer assumes all responsibility for safety and use not in accordance with label directions.